

BLACKMORE



2009



BLACKMORE



CONTENTS

CONTENTS

NAVIGATION

MONITORS

IN DASH / FLIP DOWN / HEADREST

BACK-UP SOLUTIONS

BACK-UP SENSORS

BASS CONTROLS

DIGITAL BASS PROCESSORS / BASS BOOSTERS

AMPLIFIERS

BSL & BAC SERIES

SPEAKERS

SUB WOOFERS / TWEETERS

CAPACITORS

ACCESSORIES

INDEX

2

3

5

10

11


13

17

24

25

30





NAVIGATION



▲ BDD-T78

CAR DVD/VCD/CD/MP3 PLAYER WITH SLIDE DOWN MONITOR

- ELECTRONIC ANTI-SHOCK
- 7" WIDE TFT COLOR LCD SCREEN
- NTSC/PAL COMPATIBLE
- PICTURE CONTROL: BRIGHTNESS/CONTRAST/COLOR/TINT/REFLECTION SIZE
- SCREEN ANGLE/POSITION MEMORY
- REPEAT/PROGRAM/RANDOM/INTRO PLAY
- ELECTRONIC ANTI-SHOCK • 30 PRESET STATIONS
- AUTO MEMORY STORE/PRESET SCAN
- PRESET EQ (POP/ROCK/CLASSIC) • DVD/VCD CHANGER CONTROL INTERFACE
- PARKING DETECTOR INTERFACE • 2V PREAMP OUTPUT (2 PAIRS RCA)
- SUBWOOFER OUTPUT • CARD SIZE REMOTE CONTROL
- REAR MONITOR VIDEO OUTPUT
- BLUE-TOOTH • TV BUILT IN • BUILD-IN GPS
- MAPS SOLD SEPARATELY:

- USA MAP: US-1
- CANADA MAP: CN-2
- MEXICO MAP: MX-3

B-NAV ► NAVIGATION SYSTEM

SAMSUNG 2440 CPU
SIRF3 GPS MODULE
STANDARD ANALOG RGB OR CVBS INTERFACE
SD CARD STORE CAPABILITY
RECESSIVE MOUNTING
TOUCH AND REMOTE CONTROL
DUAL-CHANNEL STEREO AUDIO
WATER PROOF, ESP AND DUST PROOF




THERE ARE THREE MAPS TO CHOOSE FROM TO USE WITH THIS MODEL:

- USA MAP: US-1
- CANADA MAP: CN-2
- MEXICO MAP: MX-3

NAVIGATION

4.3"



▲ BPO-NAV4 PORTABLE NAVIGATION SYSTEM WITH TOUCH SCREEN

4.3" DIGITAL TFT LCD DISPLAY
BUILT IN GPS AND ANTENNA
ONBOARD MEMORY
65MB SDRAM EXPANDABLE TO 2GB
EMBEDDED TYPE ANTENNA
USB 1.1 INTERFACE
TOUCH PANEL OPERATION
20 GPS CHANNELS
CIGARETTE LIGHTER PLUG
AC/DC ADAPTER
SUCTION CUP MOUNT BRACKET
CARRYING BAG
INCLUDE 1 GB SD CARD
WITH U.S.A, CANADA, & MEXICO MAP



TOLL FREE: 866.572.6766



BLACKMORE
MOBILE ELECTRONICS



7"

TOUCH SCREEN



BMD-TT6 ▶

7" 16:9 WIDE SCREEN TFT LCD DISPLAY

- TOUCH SCREEN
(GRAPHIC SCREEN ALLOWS EASY CONTROL OF OPERATIONS BY TOUCH)
- DVD/MP3/VCD/CD/CD-RW COMPATIBLE
- USB SD FUNCTION • AUTO MEMORY STORE/ PRESET SCAN
- 30 PRESET STATIONS MEMORY
- FULLY MOTORIZED AUTOMATIC OPEN/CLOSE MECHANISM
- ELECTRONIC SCREEN ANGLE/POSITION MEMORY
- LAST POSITION/SCENE MEMORY • ON SCREEN DISPLAY
- MULTI SYSTEMS: NTSC/PAL/
- 4 CHANNEL RCA PRE AMP OUTPUT/SUBWOOFER OUTPUT
- ELECTRONIC VOLUME/BALANCE/BASS/TREBLE/FADER CONTROL
- MAX OUTPUT: 25 WATTS X 4 CHANNELS
- REAR MONITOR VIDEO OUTPUT • PARKING VIDEO INPUT
- TV TUNER • FULL FUNCTION WIRELESS REMOTE CONTROL
- NAVIGATION READY • COMPATIBLE WITH NAVIGATION MODULE B-NAV



MOTORIZED

TOUCH SCREEN



BMD-TT7 ▶

7" 16:9 WIDE SCREEN TFT LCD DISPLAY

- TOUCH SCREEN
(GRAPHIC SCREEN ALLOWS EASY CONTROL OF OPERATIONS BY TOUCH)
- DVD/MP3/VCD/CD/CD-RW COMPATIBLE
- USB SD FUNCTION • AUTO MEMORY STORE/ PRESET SCAN
- 30 PRESET STATIONS MEMORY
- FULLY MOTORIZED AUTOMATIC OPEN/CLOSE MECHANISM
- ELECTRONIC SCREEN ANGLE/POSITION MEMORY
- LAST POSITION/SCENE MEMORY • ON SCREEN DISPLAY
- MULTI SYSTEMS: NTSC/PAL/
- 4 CHANNEL RCA PRE AMP OUTPUT/SUBWOOFER OUTPUT
- ELECTRONIC VOLUME/BALANCE/BASS/TREBLE/FADER CONTROL
- MAX OUTPUT: 25 WATTS X 4 CHANNELS
- REAR MONITOR VIDEO OUTPUT • PARKING VIDEO INPUT
- FULL FUNCTION WIRELESS REMOTE CONTROL • BLUETOOTH
- NAVIGATION READY • COMPATIBLE WITH NAVIGATION MODULE B-NAV



7"






4"

▲ BIM-3005

MOBILE MULTI-MEDIA PLAYER/ RECEIVER

MOTORIZED SLIDE DOWN WHOLE PANEL DETACHABLE CAR RADIO WITH DVD PLAYER
SUPPORT TO PLAY DVD, VCD, SVCD, AUDIO CD, MP3 AND MP4 CD-R, CD-RW, DVD-R, DVD-RW, DVD+R AND DVD +RW COMPATIBLE
4" TFT DISPLAY • USB PORT
A/V INPUT & A/V OUT PUT • INFRARED REMOTE CONTROL
REAL TIME CLOCK • RANDOM, INTRO AND REPEAT PLAY
ELECTRONIC SHOCK PROTECTION
SELECTABLE PRESET EQ: CUSTOM/FLAT/CLASS/ROCK/POP
SUB-WOOFER • TV TUNER



6.2"



▲ BIM-3006

MOBILE MULTI-MEDIA PLAYER/ RECEIVER

DVD/VCD/MPEG4/MP3/CD/CD-R/CD-RW COMPATIBLE
AM/FM-MPX 2 BAND RADIO • PLL SYNTHESIZER TUNER
AUTO STORE/PRESET SCAN • 30 STATION MEMORY
BUILT IN 6.2 INCH WIDE TFT COLOR MONITOR • TOUCH SCREEN CONTROL OPERATION
ON SCREEN DISPLAY TITLE, TIME, CHAPTER, SUBTITLE & ANGLE
TREBLE/BASS/BALANCE/FADER/ENCODER VOLUME • DOLBY DIGITAL COAXIAL OUTPUTS
PAL/NTSC COLOR SYSTEM • MOTORIZED SLIDE DOWN DETACHABLE FRONT PANEL
SELECTABLE VIEW ANGLE • ANTI-SHOCK MECHANISM
ESP (ELECTRONIC SHOCK PROTECTION) • LO/DX & ST/MO SELECTOR
REPEAT/INTRO/RANDOM • CLOCK FUNCTION & MUTE CONTROL
RCA LINE OUT • PRESET EQ • SUB-WOOFER • A/V INPUT & A/V OUTPUT • WIRELESS REMOTE CONTROL
REAR CAMERA OUTPUT • PARKING VIDEO INPUT • USB CONNECTOR • SD/MMC CARD SLOT
11 KINDS OF BACKGROUND COLOR • BUILT-IN TV TUNER • BLUETOOTH A2DP&AVRCP SUPPORT
USA/EUROPE FREQUENCY SWITCH



TOLL FREE: 866.572.6766


BLACKMORE
MOBILE ELECTRONICS



4.5"



IN DASH

▲ BIM-4500

MOBILE MULTI-MEDIA PLAYER/ RECEIVER

- BUILT IN 4.5 INCH WIDE TFT COLOR MONITOR
- DVD/VCD/MPEG4/MP3/CD/CD-R/CD-RW COMPATIBLE
- AM/FM-MPX 2 BAND RADIO
- PLL SYNTHESIZER TUNER • AUTO STORE/PRESET SCAN
- 30 STATION MEMORY
- ON SCREEN DISPLAY TITLE, TIME, CHAPTER, SUBTITLE & ANGLE
- TREBLE/BASS/BALANCE/FADER/ENCODER VOLUME
- DOLBY DIGITAL COAXIAL OUTPUTS
- PAL/NTSC COLOR SYSTEM
- MOTORIZED SLIDE DOWN DETACHABLE FRONT PANEL
- SELECTABLE VIEW ANGLE • ANTI-SHOCK MECHANISM
- ESP (ELECTRONIC SHOCK PROTECTION) • LO/DX & ST/MO SELECTOR
- REPEAT/INTRO/RANDOM • CLOCK FUNCTION • MUTE CONTROL
- RCA LINE OUT • PRESET EQ • SUB-WOOFER
- A/V INPUT & A/V OUTPUT • REMOTE CONTROL
- REAR CAMERA OUTPUT • PARKING VIDEO INPUT
- USB CONNECTOR • 11 KINDS OF BACKGROUND COLOR
- FEATHER TOUCH SENSOR CONTROLS
- USA/EUROPE FREQUENCY SWITCH

WITH
TV TUNER**BRM-102T ▶****10.2" TFT LCD MONITOR**

BUILT IN TUNER • BUILT IN DVD PLAYER • LESS THAN 2" THICK
SLOT LOADING DVD/CD/MP3 PLAYER
CASE MOUNTED CONTROLS FOR ALL FUNCTIONS
TRUE "LAST SCENE MEMORY" • SCREEN OPENS TO 130 DEGREES
SCREEN SWIVELS 25 DEGREES RIGHT OR LEFT
INTEGRATED CONTROLS FOR ALL FUNCTIONS

AUXILIARY INPUT-GAME PORT
AUTO SWITCHING AV OUTPUT FOR ADDITIONAL MONITORS
TV TUNER W/STANDARD F-TYPE CONNECTION
IR HEADPHONE TRANSMITTER

ON SCREEN DISPLAY OF ALL MENU FUNCTIONS DISPLAY TYPE: 10.2 "ACTIVE MATRIX
COLOR TFT LCD NTSC/PAL • 16:9 WIDE SCREEN FORMAT
384,000 PIXELS 800 (W) X 480 (H) WVGA
BRIGHTNESS: 400 CD/M2

DOMES LIGHTS: 5W X 2 WITH POSITIVE OR
NEGATIVE DOOR SENSOR CONNECTION MAP LIGHTS
DIMENSIONS: 11.25" W X 10.25" L 1.75" D FOOTPRINT • WEIGHT: 4.5" LBS
INCLUDES EXTENDED MOUNTING SHROUD FOR CUSTOM INSTALLATION
THIS UNIT COMES IN THREE COLORS:

- BLACK
- GREY
- TAN



10.2"

FLIP DOWN

◀ BRM-102N**10.2" TFT LCD MONITOR**

BUILT IN DVD PLAYER • LESS THAN 2" THICK
SLOT LOADING DVD/CD/MP3 PLAYER
CASE MOUNTED CONTROLS FOR ALL FUNCTIONS
TRUE "LAST SCENE MEMORY"
SCREEN OPENS TO 130 DEGREES
SCREEN SWIVELS 25 DEGREES RIGHT OR LEFT
INTEGRATED CONTROLS FOR ALL FUNCTIONS

IR HEADPHONE TRANSMITTER
AUXILIARY INPUT-GAME PORT
AUTO SWITCHING AV OUTPUT FOR ADDITIONAL MONITORS

ON SCREEN DISPLAY OF ALL MENU FUNCTIONS
DISPLAY TYPE: 10.2 "ACTIVE MATRIX COLOR TFT LCD NTSC/PAL
16:9 WIDE SCREEN FORMAT

384,000 PIXELS 800 (W) X 480 (H) WVGA
BRIGHTNESS: 400 CD/M2

DOMES LIGHTS: 5W X 2 WITH POSITIVE OR
NEGATIVE DOOR SENSOR CONNECTION MAP LIGHTS
DIMENSIONS: 11.25" W X 10.25" L 1.75" D FOOTPRINT
WEIGHT: 4.5" LBS

INCLUDES EXTENDED MOUNTING SHROUD
FOR CUSTOM INSTALLATION
THIS UNIT COMES IN THREE COLORS:

- BLACK
- GREY
- TAN



10.2"

TOLL FREE: 866.572.6766


BLACKMORE
MOBILE ELECTRONICS

9" II



◀ BPH-975
9" HEADREST TFT LCD MONITOR
WITH DVD PLAYER

THIS UNIT COMES IN PAIRS, PACKED ONE PAIR TO A GIFT BOX

DVD SIDE:

SCREEN SIZE: 9" LCD SCREEN (16":9)
 RESOLUTION: 640(W)*RGB*234(H)
 SYSTEM: PAL & NTSC • INPUT: 1 VIDEO AND 1 AUDIO (DUAL TRACK)
 OUTPUT: 1 VIDEO AND 1 AUDIO (DUAL TRACK)
 BUILT-IN DVD PLAYER • BUILT IN SD SLOT & USB SLOT
 BUILT-IN IR TRANSMITTER (2CH) • BUILT-IN FM TRANSMITTER
 BUILT-IN TV TUNER • USABLE CD FORMAT: DVD/VCD/CD/MP3/MP4
 REMOTE CONTROL AND KEYSTROKE

MONITOR SIDE:

SCREEN SIZE: 9" LCD SCREEN (16:9)
 RESOLUTION: 640(W)*RGB*234(H)
 SYSTEM: PAL & NTSC • INPUT: 2 VIDEO
 BUILT-IN IR TRANSMITTER
 BUILT-IN FM TRANSMITTER
 REMOTE CONTROL AND KEYSTROKE
 THIS UNIT COMES IN THREE COLORS:

- BLACK
- GREY
- TAN



HEADREST MONITORS

BPH-951 ▶

9.2" HEADREST TFT LCD MONITOR

THIS UNIT COMES IN PAIRS, PACKED ONE PAIR TO A GIFT BOX

AV1 & AV2 INPUTS

BUILT IN IR TRANSMITTER

AUDIO AND VIDEO OUTPUTS

FULL FUNCTION REMOTE CONTROL ON SCREEN DISPLAY

NTSC/PAL SYSTEM COMPATIBLE

ADJUSTABLE MOUNTING POLES

BRIGHTNESS/CONTRAST/COLOR/ & TINTING CONTROLS

THIS UNIT COMES IN THREE COLORS:

- BLACK
- GREY
- TAN



9.2" II



BMB-96 ▶
MONITOR

SCREEN SIZE: 7" (DIAGONAL LENGTH)
 REMOTE CONTROL, OSD
 ASPECT RATIO: 16:9
 RESOLUTION: 1440 X 234 DOTS
 DUAL VIDEO INPUT
 BUILT IN BLUETOOTH
 ANTI GLARE MIRROR
 TOUCH SCREEN BUTTON CONTROL

7"

PARKING RADAR

RATED VOLTAGE: 12V
 RATE CURRENT: 20MA-200MA
 DETECTION DISTANCE: 1.2M
 ULTRASONIC FREQUENCY: 40KHZ

CAMERA

CMOS SENSOR, WATER PROOF
 VIEW ANGLE: 90 DEGREES • NIGHT VISION



BACK-UP SENSORS

◀ **BBS-97****BACK-UP SENSOR**

- LONG DISPLAY DISTANCE UP TO 2.5M, A PERSON AROUND 1.3~1.7M BEHIND VEHICLE OR AN ORDINARY CABLE CAN BE DETECTED WITH FAST REACTION AND HIGH STABILITY
- MIN. DETECTION DISTANCE: 0.22M
- 0° VIEWING ANGLE OF JITTER-FREE LCD DISPLAY WITH MINIMIZED FALSE ALARM, SHOWING ACCURATE DISTANCE TO AND DIRECTION OF OBSTACLES
- AUDIBLE ALARM VOLUME ADJUSTABLE: HIGH, LOW AND MUTE. AUDIBLE ALARM GENERATED BY THE 2 REAR CENTRAL SENSORS STARTS FROM 1.7 METERS BEHIND, BUT 1 METER FOR THE 2 REAR SIDE SENSORS
- WITH 4 SENSORS OF EXCELLENT BEAM ANGLES, ENSURES MINIMAL BLIND DETECTION AREA
- WATERPROOF SENSORS COME IN BLACK ONLY THAT MATCH ALL VEHICLE MODELS
- WORKABLE AT VERY LOW TEMPERATURE CONDITION: -35°C



TOLL FREE: 866.572.6766

**BLACKMORE**
MOBILE ELECTRONICS



◀ **BB-70**
DIGITAL BASS PROCESSOR

- MAX BASS CONTROL
- DASH MOUNT REMOTE CONTROL
- BASS RESTORATION LIGHTED DISPLAY
- PWM HIGH HEAD ROOM POWER SUPPLY
- FREQUENCY RESPONSE: 10HZ-100KHZ
- BALANCE INPUT NOISE REJECTION: 60DB
- PARAMETRIC BASS CONTROL
- PFM SUBSONIC FILTER
- BALANCED INPUTS
- BASS OUTPUT CONTROL
- OUTPUT LEVEL: 13.5 VOLT
- THD: 0.003%

BASS BOOSTERS

BB-71 ▶

MAX BASS CONTROL

- MAX BASS CONTROL
- DASH MOUNT REMOTE CONTROL
- BASS RESOLUTION LIGHTED DISPLAY
- PWM HIGH HEAD ROOM POWER SUPPLY
- FREQUENCY RESPONSE: 10HZ-100KHZ
- BALANCE INPUT NOISE REJECTION: 60DB
- PARAMETRIC BASS CONTROL
- PFM SUBSONIC FILTER
- BALANCED INPUT
- BASS OUTPUT CONTROL
- OUTPUT LEVEL: 13.5 VOLT
- THD: 0.003%





EQUALIZERS

▲ **BEQ-960**
4 BAND PARAMETRIC EQUALIZER
WITH SUBWOOFER OUTPUT

PRE-AMP CONTROL FREQUENCY
 150HZ, 400HZ, 2.5KHZ, 15KHZ
 SUB-WOOFER CROSSOVER FREQUENCY 30HZ – 250HZ
 DC TO DC SWITCHING POWER SUPPLY • FADER CONTROL
 SUB-WOOFER LEVEL CONTROL
 INPUT SELECTOR FOR RADIO OR CD WITH INDIVIDUAL INPUT LEVEL CONTROL
 2 GOLD PLATED RCA FOR SUB-WOOFER
 PRE-AMP OUTPUT
 4 GOLD PLATED RCA FOR RADIO & CD INPUT
 4 GOLD PLATED RCA FOR FRONT & REAR PRE-AMP OUTPUT
 OUTPUT VOLTAGE 7V RMS (THD @ 0.05%) • S/N RATIO: 110DB
 DIMENSION: 178 X 27.5 X 115MM
 0-180 PHASE SHIFT SELECTION SWITCH




TOLL FREE: 866.572.6766



BLACKMORE
 MOBILE ELECTRONICS

AMPLIFIERS



AMPLIFIERS

1200
WATTS
MAXIMUM OUTPUT



▲ **BSL-MB12**
MONO BLOCK AMPLIFIER

1200 X 1 @ 1 OHM CLASS D SUBWOOFER AMPLIFIER
 FULL MOSFET DESIGN
 BUILT-IN FULLY VARIABLE HIGH/LOW PASS CROSSOVERS
 USER SELECTABLE 12 DB OR 18 DB PER OCTAVE CROSSOVER SLOPE
 BUILT IN FULLY VARIABLE SUB-SONIC FILTER
 PLATINUM FINISH WIRE CONNECTIONS
 ACCEPTS 4 GAUGE POWER AND GROUND WIRE
 WIRED REMOTE GAIN CONTROL INCLUDED
 HEAVY DUTY REINFORCED PCB FOR ADDED ENDURANCE
 FAN COOLED

BSL



TOLL FREE: 866.572.6766



BLACKMORE
MOBILE ELECTRONICS

BAC-420 ▶ MOSFET 2 CHANNEL AMPLIFIER

- MAXIMUM POWER 800 WATTS
- RMS POWER 200W X 2AT 0.01% THD, 40HMS
- VARIABLE LOW PASS CROSSOVER
- FIXED HIGH PASS CROSSOVER
- VARIABLE BASS BOOST CONTROL
- REMOTE SUBWOOFER LEVEL CONTROL
- CHROME PLATED RCA INPUTS
- VARIABLE GAIN CONTROL
- LED POWER AND PROTECTION INDICATORS
- SIGNAL TO NOISE RATIO: BETTER THAN 103 DB

800
WATTS
MAXIMUM OUTPUT



1200
WATTS
MAXIMUM OUTPUT

◀ BAC-430 MOSFET 4 CHANNEL AMPLIFIER

- MAXIMUM POWER 1200 WATTS
- RMS POWER 150W X 4AT 0.01% THD, 40HMS
- VARIABLE LOW PASS CROSSOVER
- FIXED HIGH PASS CROSSOVER
- VARIABLE BASS BOOST CONTROL
- REMOTE SUBWOOFER LEVEL CONTROL
- CHROME PLATED RCA INPUTS
- VARIABLE GAIN CONTROL
- LED POWER AND PROTECTION INDICATORS
- SIGNAL TO NOISE RATIO: BETTER THAN 103 DB

BAC



BAC-M40 ►**MOSFET MONOBLOCK AMPLIFIER**

MAXIMUM POWER 1000 WATTS
 RMS POWER 300W X 1AT 0.01% THD, 40HMS
 VARIABLE LOW PASS CROSSOVER
 VARIABLE BASS BOOST CONTROL
 REMOTE SUBWOOFER LEVEL CONTROL
 CHROME PLATED RCA INPUTS
 VARIABLE GAIN CONTROL
 LED POWER AND PROTECTION INDICATORS
 SIGNAL TO NOISE RATIO: BETTER THAN 103 DB



1000
WATTS
MAXIMUM OUTPUT

AMPLIFIERS

BAC



▲ BAC-M50
MOSFET MONOBLOCK AMPLIFIER

MAXIMUM POWER 2000 WATTS
 RMS POWER 550W X 1AT 0.01% THD, 40HMS
 VARIABLE LOW PASS CROSSOVER
 VARIABLE BASS BOOST CONTROL
 REMOTE SUBWOOFER LEVEL CONTROL
 CHROME PLATED RCA INPUTS
 VARIABLE GAIN CONTROL
 LED POWER AND PROTECTION INDICATORS
 SIGNAL TO NOISE RATIO: BETTER THAN 103 DB FAN COOLED


2000
WATTS
MAXIMUM OUTPUT



TOLL FREE: 866.572.6766



BLACKMORE
MOBILE ELECTRONICS



SPEAKERS

BS-657 ▶**5"X7" • 3-WAYS**

FREQUENCY:60-20KHZ

SENSITIVITY:89DB/W/M

MAX POWER: 450W

MAGNET:10 OZ

VOICE COIL:25MM

WOOFER: INJECTION CONE

MIDRANGE AND TWEETER:20MM PEI DOME TWEETER
AND 15MM PIEZO TWEETER**450**
WATTS
MAXIMUM OUTPUT**BS-668 ▶****6"X8" • 3-WAYS**

FREQUENCY: 60-20KHZ

SENSITIVITY: 89DB/W/M

MAX POWER: 325W

MAGNET:10 OZ

VOICE COIL:25MM

WOOFER: INJECTION CONE

MIDRANGE AND TWEETER: 20MM PEI DOME TWEETER
AND 15MM PIEZO TWEETER**325**
WATTS
MAXIMUM OUTPUT**BS-641 ▶****4"X10" • 3-WAYS**

FREQUENCY:80-20KHZ

SENSITIVITY:88DB/W/M

MAX POWER: 350W

MAGNET:10 OZ

VOICE COIL:25MM

WOOFER: INJECTION CONE

MIDRANGE AND TWEETER: 20MM PEI DOME TWEETER
AND 15MM PIEZO TWEETER**350**
WATTS
MAXIMUM OUTPUT

SPEAKERS

BS



TOLL FREE: 866.572.6766

**BLACKMORE**
MOBILE ELECTRONICS



400
WATTS
MAXIMUM OUTPUT

◀ **BS-660**
6.5" • 3-WAYS

FREQUENCY:60-20KHZ
SENSITIVITY:89DB/W/M
MAX POWER: 400W
MAGNET:10 OZ
VOICE COIL:25MM
WOOFER: INJECTION CONE
MIDRANGE AND TWEETER:20MM PEI DOME TWEETER
AND 15MM PIEZO TWEETER



320
WATTS
MAXIMUM OUTPUT

◀ **BS-662**
6.5" • 2-WAYS

FREQUENCY:65-20KHZ
SENSITIVITY:88DB/W/M
MAX POWER: 320W
MAGNET:5.3OZ
VOICE COIL:25MM
WOOFER: INJECTION CONE
MIDRANGE AND TWEETER:
20MM PEI DOME TWEETER
AND 15MM PIEZO TWEETER

BS



700
WATTS
MAXIMUM OUTPUT

▲ **BS-669**
6"X9" • 4-WAYS

FREQUENCY:45-20KHZ • SENSITIVITY:90DB/W/M
MAX POWER:700 W • MAGNET:20 OZ
VOICE COIL:25MM • WOOFER: INJECTION CONE
MIDRANGE AND TWEETER: 25MM PEI DOME TWEETER
AND 22MM,15MM PIEZO TWEETER





350
WATTS
MAXIMUM OUTPUT

◀ **BS-640**

4" • 3-WAYS

FREQUENCY:100-20KHZ
SENSITIVITY:88DB/W/M
MAX POWER: 350W
MAGNET:5.3 OZ
VOICE COIL:25MM
WOOFER: INJECTION CONE
MIDRANGE AND TWEETER:20MM PEI DOME TWEETER
AND 13MM PIEZO TWEETER



400
WATTS
MAXIMUM OUTPUT

◀ **BS-646**

4"X6" • 3-WAYS

FREQUENCY:100-20KHZ
SENSITIVITY:88DB/W/M
MAX POWER: 400W
MAGNET:5.3 OZ
VOICE COIL:25MM
WOOFER: INJECTION CONE
MIDRANGE AND TWEETER:20MM PEI DOME TWEETER
AND 13MM PIEZO TWEETER



350
WATTS
MAXIMUM OUTPUT

◀ **BS-652**

5.25" • 3-WAYS

FREQUENCY:80-20KHZ
SENSITIVITY:88DB/W/M
MAX POWER:350 W
MAGNET:10 OZ
VOICE COIL:25MM
WOOFER: INJECTION CONE
MIDRANGE AND TWEETER:20MM PEI DOME TWEETER
AND 13MM PIEZO TWEETER

SPEAKERS

BS



TOLL FREE: **866.572.6766**



BLACKMORE
MOBILE ELECTRONICS

SUBWOOFERS

1500
WATTS
MAXIMUM OUTPUT



◀ **BW-126**
SUBWOOFER 12"
DOUBLE VOICE COIL

FREQUENCY: 20-1500HZ
SENSITIVITY: 88DB/W/M
MAX POWER: 1500 W
MAGNET: 500Z
VOICE COIL: 50MM
WOOFER: ELECTROPLATE IMPP CONE
IMPEDANCE: 2 OHM/4 OHM



BW

SUBWOOFERS

1000
WATTS
MAXIMUM OUTPUT



◀ **BW-212**
SUBWOOFER 12"

FREQUENCY:20-1500HZ
SENSITIVITY:88DB/W/M
MAX POWER:1000 W
MAGNET:500Z
VOICE COIL:50MM
WOOFER: IMPP CONE
IMPEDANCE: 4 OHM

1000
WATTS
MAXIMUM OUTPUT

◀ **BW-212D**
SUBWOOFER 12"
DOUBLE VOICE COIL

FREQUENCY:20-1500HZ
SENSITIVITY:88DB/W/M
MAX POWER: 1000W
MAGNET:500Z
VOICE COIL:50MM
WOOFER: IMPP CONE
IMPEDANCE: 2 OHM/4 OHM

830
WATTS
MAXIMUM OUTPUT



BW

▲ **BW-210D**
SUBWOOFER 10"
DOUBLE VOICE COIL

FREQUENCY:25-1500HZ
SENSITIVITY:88DB/W/M
MAX POWER:830 W
MAGNET:400Z
VOICE COIL:50MM
WOOFER: IMPP CONE
IMPEDANCE: 2 OHM/4 OHM

▲ **BW-210**
SUBWOOFER 10"

FREQUENCY:25-1500HZ
SENSITIVITY:88DB/W/M
MAX POWER: 830W
MAGNET:400Z
VOICE COIL:50MM
WOOFER: IMPP CONE
IMPEDANCE: 4 OHM

830
WATTS
MAXIMUM OUTPUT



TOLL FREE: 866.572.6766



BLACKMORE
MOBILE ELECTRONICS

TWEETER

BTW-99 ▶

3.75" ALUMINUM BULLET TITANIUM HORN TWEETER

3.75" ALUMINUM HORN W/1" SUPER BULLET TWEETER
1" SUPER TWEETER • 20 OZ MAGNET STRUCTURE
1" HIGH TEMPERATURE KAPTON VOICE COIL
DIAMOND CHROME CUTTING FINISH
FERRO FLUID ENHANCED VOICE COIL
150 WATTS RMS/300 WATTS PEAK • SENSITIVITY: 99DB
FREQUENCY RESPONSE: 2KHZ - 25KHZ
MYLAR CROSSOVER CAPACITOR INCLUDED
3.75" DIAMETER - 2" MOUNTING DEPTH



300
WATTS
MAXIMUM OUTPUT

BTW



50
WATTS
MAXIMUM OUTPUT

◀ BTW-88

HIGH POWER 3/4" DOME TWEETER

WITH NEODYMIUM MAGNET
360 DEGREES SWIVEL MESH TWEETER
WITH FLUSH & ANGLED MOUNTS
20MM ASV VOICE COIL
FREQUENCY RESPONSE: 4,500HZ - 22 KHZ
POWER: 20 WATTS RMS, 50 WATTS PEAK



BCAP-265 ▶**2.65 CAPACITOR FOR AMPLIFIERS**

DIGITAL CRYSTAL WHITE
VOLTAGE / FUNCTION DISPLAY
AUTO VOLTAGE SENSING & PROTECTION
MAX VOLTAGE: 20 VOLTS DC
TOLERANCE: +10 %
DIMENSIONS: 3.3"W X 11" H
THIS UNIT COMES IN
AN ALUMINUM CARRYING CASE

2.65

◀ **BCAP-175****1.75 CAPACITOR FOR AMPLIFIERS**

DIGITAL CRYSTAL WHITE
VOLTAGE / FUNCTION DISPLAY
AUTO VOLTAGE SENSING & PROTECTION
MAX VOLTAGE: 20 VOLTS DC
TOLERANCE: +10 %
DIMENSIONS: 3.3"W X 10" H


1.75



TOLL FREE: 866.572.6766


BLACKMORE
MOBILE ELECTRONICS

ACCESORIES



HEADPHONES

▲ **BHD-36****DUAL CHANNEL WIRELESS HEADPHONE SET**

INCLUDES: 2 X BHD-34 HEADPHONES &
1 X BIR-26 DUAL CHANNEL TRANSMITTER
TRANSMITTER USES STANDARD RCA AUDIO INPUTS
FOR USE WITH ANY A/V EQUIPMENT

BIR-27 ▼
IR STEREO HEADPHONE

ON/OFF SWITCH
VOLUME CONTROL
PADDED MUFFS & HEADBAND
ADJUSTABLE FIT



BIR

◀ **BIR-16****SINGLE CHANNEL INFRARED TRANSMITTER**

BUILT- IN AUTOMATIC INPUT LEVEL CONTROL CIRCUIT
INFRARED WAVELENGTH: 850NM
CARRIER FREQUENCY: RIGHT 2.8MHZ - LEFT 2.3MHZ
DISTORTION: 0.20% • MODULATION: 75KHZ
FREQUENCY RESPONSE: 20HZ ~ 20KHZ
EFFECTIVE RANGE (MAX): APPROXIMATELY 26 FT

◀ **BIR-26****DUAL CHANNEL INFRARED TRANSMITTER**

FOR USE WITH BHD-34 HEADPHONES
TRANSMITS TWO SEPARATE AUDIO SIGNALS AT THE SAME TIME
POWER REQUIREMENT: DC 12V • IR WAVELENGTH: 850 NM
CARRIER FREQUENCY:
A) RIGHT 2.8MHZ - LEFT 2.3MHZ
B) RIGHT 3.8MHZ - LEFT 3.2MHZ
EFFECTIVE RANGE: APPROXIMATELY 26 FT.
DIMENSIONS: 2.25" W X .89" H X 4.75" L



TOLL FREE: 866.572.6766



BLACKMORE
MOBILE ELECTRONICS



BSW-55
AUDIO/VIDEO 4 IN 4 OUT SWITCHER
 INDEPENDENTLY CONTROLS UP TO 4 SCREENS
 STANDARD "RCA" TYPE CONNECTIONS
 POWER SOURCE: DC 12V
 POWER CONSUMPTION: 3W MAX
 4 WIRELESS REMOTE CONTROLS INCLUDED



BVA-15 ►
MULTI VIDEO AMPLIFIER
 SUPPORTS UP TO 4 VIDEO DISPLAYS WITH
 A SINGLE VIDEO SOURCE
 INDEPENDENT ADJUSTABLE VIDEO LEVEL CONTROLS
 POWER BOOSTER FOR ENHANCED PICTURE QUALITY
 ADJUSTABLE FROM .5 -1.5 VOLT P-P ON EACH OUTLET
 DIMENSIONS (W X D X H): 4.10" X 2.92" X 0.79"





◀ **BFM-22** **FM MODULATOR**

PLL SYNTHESIZED TUNING SYSTEM
7 SELECTABLE RADIO FREQUENCIES
HIGH ISOLATION FROM NONESSENTIAL FREQUENCIES
COMPACT AND LIGHT



◀ **BFM-28** **WIRELESS FM MODULATOR**

HIGH RELIABILITY PLL SYNTHESIZED TUNING SYSTEM
PROVIDE 2 CARRIER FREQUENCIES - 88.7 & 89.1 MHZ
HIGH ISOLATION FROM NONESSENTIAL FREQUENCIES
CAN BE PLACED BEHIND THE RADIO, INSIDE THE DASHBOARD



◀ **BTA-18** **MOBILE TV TUNER ANTENNA**

UNIVERSAL INSIDE MOUNT
STANDARD F CONNECTOR CABLE
FOR USE WITH BDS-400



BBH-1 ▶

SINGLE HEADREST MOUNT

USE ON SINGLE HEADREST FOR BEHIND THE HEADREST • MOUNTING WITH BBH-007, BHR-720 & BHR-721
ADJUSTABLE TO FIT ANY STYLE REMOVABLE HEADREST • INCLUDES BUSHINGS TO FIT MOST SHAFT SIZES
NO MODIFICATION TO HEADREST REQUIRED • GREAT FOR LEASED VEHICLES
HEAVY GRADE SOLID STEEL MOUNT LIMITS VIBRATION



BBH-2 ▶

SEAT CENTER HEADREST MOUNT

USE ON SINGLE HEADREST FOR BETWEEN THE SEAT • MOUNTING WITH BBH-007, BHR-720 & BHR-721
ADJUSTABLE TO FIT ANY STYLE REMOVABLE HEADREST • INCLUDES BUSHINGS TO FIT MOST SHAFT SIZES
NO MODIFICATION TO HEADREST REQUIRED • GREAT FOR LEASED VEHICLES
HEAVY GRADE SOLID STEEL MOUNT LIMITS VIBRATION



BBH-3 ▶

CLAMP-ON STYLE HEADREST MOUNT

FOR NON-REMOVABLE HEADRESTS OR
CUSTOM APPLICATIONS.
FOR USE WITH:
BBH-007, BHR-720 & BHR-721





BAK

ACCESSORIES

▲ BAK-80

1200 WATT COMPLETE AMPLIFIER HOOKUP KIT

17FT. AMPLIFIER HOOKUP KIT FOR BATTERY, HEAD UNIT & SPEAKERS

RED POWER WIRE	17FT.	8 GAUGE
BLACK GROUND WIRE3FT	8 GAUGE
BLUE REMOTE TURN ON	17FT.	16 GAUGE
SPEAKER WIRE	17FT.	12 GAUGE
RCA INTERCONNECT AUDIO CABLE	17FT.	RIGHT ANGLE
SPLIT LOOM FOR CABLE PROTECTION & ORGANIZATION6FT	BLACK COLOR
GOLD PLATED FUSE.	AGU TYPE	60A

BAK-40 ►

1500 WATT COMPLETE AMPLIFIER HOOKUP KIT

17FT. AMPLIFIER HOOKUP KIT FOR BATTERY, HEAD UNIT & SPEAKERS

RED POWER WIRE.	17FT.	4 GAUGE
BLACK GROUND WIRE.3FT	4 GAUGE
BLUE REMOTE TURN ON	17FT.	16 GAUGE
SPEAKER WIRE	17FT.	12 GAUGE
RCA INTERCONNECT AUDIO CABLE	17FT.	RIGHT ANGLE
SPLIT LOOM FOR CABLE PROTECTION & ORGANIZATION6FT	BLACK COLOR
GOLD PLATED FUSE.	AGU TYPE	80A



INDEX

ITEM #	PAGE #
BDD-T78	3
B-NAV	4
BPO-NAV4	4
BMD-TT6	5
BMD-TT7	5
BIM-3005	6
BIM-3006	6
BIM-4500	7
BRM-102T	8
BRM-102N	8
BPH-975	9
BPH-951	9
BMB-96	10
BBS-97	10
BB-70	11
BB-71	11
BEQ-960	12
BSL-MB12	14
BAC-420	15
BAC-430	15
BAC-M40	16
BAC-M50	16
BS-657	18
BS-668	18
BS-641	18
BS-662	19
BS-660	19
BS-669	19
BS-640	20
BS-646	20
BS-652	20
BW-126	21
BW-212	22
BW-212D	22
BW-210	22
BW-210D	22
BTW-88	23
BTW-99	23
BCAP-265	24
BCAP-175	24
BIR-27	26
BHD-36	26
BIR-16	26

ITEM #	PAGE #
BIR-26	26
BSW-55	27
BVA-15	27
BTA-18	28
BFM-22	28
BFM-28	28
BBH-1	28
BBH-2	28
BBH-3	28
BAK-80	29
BAK-40	29





DIVISION OF **SAMSON ELECTRONICS, INC.**

**3400 E. SLAUSON AVE.,
MAYWOOD, CA 90270**

TEL: 866.572.6766

FAX: 323.587.8825

www.BlackmoreMobile.com

DISCLAIMER: ALL SPECIFICATIONS AND FEATURES ARE SUBJECT TO CHANGE AT ANY TIME DUE TO PRODUCTION CHANGES AND PRODUCT AVAILABILITIES. SAMSON ELECTRONICS WORKS HARD TO INSURE THAT ALL BLACKMORE PRODUCT MAINTAINS THE HIGH QUALITY AND SPECIFICATIONS OUR CUSTOMERS REQUIRE.

© 2009 SAMSON ELECTRONICS, INC. • ALL RIGHTS RESERVED • UNAUTHORIZED USED IS STRICTLY PROHIBITED.

DESIGN & PHOTOGRAPHY: A2Z GRAPHICS, INC : TEL: 310-210-0307